



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

malarial fever of the tertian type. The members of the crew recovered and the vessels were released for Gulfport after the usual fumigation and detention. The condition of affairs on board these vessels while en route was at times so bad that it was barely possible for one man to remain on deck to navigate the vessel.

STATISTICAL REPORTS OF STATES AND CITIES OF THE UNITED STATES,
YEARLY AND MONTHLY.

CALIFORNIA—*Stockton*.—Month of July, 1906. Estimated population, 20,000. Total number of deaths 18, including 3 from tuberculosis.

CONNECTICUT—*Bridgeport*.—Month of July, 1906. Estimated population, 90,000. Total number of deaths 158, including diphtheria 2, enteric fever 1, and 19 from tuberculosis.

INDIANA.—Month of May, 1906: Total number of deaths, 2,665; annual rate, 11.9. In the corresponding month last year, 2,556 deaths; rate, 11.3. In the preceding month, 2,976 deaths; rate, 13.2. Deaths by important ages were: Under 1 year, 346, or 13.8 per cent of the total; 1 to 5, 139; 5 to 10, 44; 10 to 15, 53; 15 to 20, 93; 65 and over, 767, or 30.7 per cent of the total. Some important causes of death were: Pulmonary tuberculosis, 318; other forms of tuberculosis, 58; typhoid fever, 4; diphtheria, 8; scarlet fever, 4; measles, 6; whooping cough, 35; pneumonia, 213; diarrhoeal diseases, 38; cerebrospinal meningitis, 40; influenza, 14; puerperal fever, 6; cancer, 128; violence, 152.

Month of June, 1906: Total number of deaths, 2,322; annual rate, 10.6. In the corresponding month last year, 2,482; rate, 11.4. Deaths by important ages were: Under 1 year, 322, or 15 per cent of the total number; 1 to 5, 120; 5 to 10, 39; 10 to 15, 40; 15 to 20, 87; 65 and over, 639, or 29 per cent of the total. Some important causes of death were: Pulmonary tuberculosis, 275; other forms of tuberculosis, 42; typhoid fever, 29; diphtheria, 12; scarlet fever, 12; measles, 4; whooping cough, 19; pneumonia, 111; diarrheal diseases, 68; cerebrospinal meningitis, 43; influenza, 3; puerperal fever, 10; cancer, 95; violence, 164; smallpox, none.

LOUISIANA—*New Orleans*.—Month of July, 1906. Estimated population, 333,000; white, 245,000; colored, 88,000. Total number of deaths, 543; white, 323; colored, 220, including diphtheria 1, enteric fever 20, whooping cough 2, smallpox 1, and 86 from tuberculosis.

MINNESOTA—*Stillwater*.—Month of June, 1906. Estimated population, 12,435. Total number of deaths 15, including 2 from tuberculosis.

Winona.—Month of July, 1906. Estimated population, 23,000. Total number of deaths 14, including 2 from tuberculosis.

NEW HAMPSHIRE—*Manchester*.—Month of July, 1906. Estimated population, 64,000. Total number of deaths, 114, including diphtheria 5, enteric fever 1, whooping cough 1, and 10 from tuberculosis.

NEW YORK—*Auburn*.—Month of July, 1906. Estimated population, 38,500. Total number of deaths, 32, including 4 from tuberculosis.

Buffalo.—Month of June, 1906. Estimated population, 400,000. Total number of deaths, 436, including diphtheria 3, enteric fever 5, measles 2, scarlet fever 4, whooping cough 6, and 34 from tuberculosis.

Month of July, 1906. Total number of deaths 515, including diphtheria 3, enteric fever 3, measles 3, whooping cough 1, and 40 from tuberculosis.

OHIO—*Cleveland*.—Six months ended June 30, 1906. Estimated population, 470,000. Total number of deaths 3,655, including diphtheria 72, enteric fever 34, measles 77, scarlet fever 21, whooping cough 25, and 355 from tuberculosis.

East Liverpool.—Month of July, 1906. Estimated population, 20,000. Total number of deaths 15, including enteric fever 1, measles 1, and 1 from tuberculosis.

Toledo.—Month of July, 1906. Estimated population, 171,656. Total number of deaths, 146, including diphtheria 1, enteric fever 3, measles 4, scarlet fever 1, and 16 from tuberculosis.

RHODE ISLAND—*Newport*.—Month of June, 1906. Estimated population, 30,000. Total number of deaths, 22, including 8 from whooping cough.

Month of July, 1906. Total number of deaths, 20, including whooping cough 1, and 4 from tuberculosis.

TENNESSEE—*Nashville*.—Month of July, 1906. Estimated population, 98,040; white 61,586, colored 36,454. Total number of deaths, 155; white 92, colored 63, including enteric fever 6, and 24 from tuberculosis.

VERMONT—*Burlington*.—Month of January, 1906. Estimated population, 22,000. Total number of deaths 42, including scarlet fever 1, and 2 from tuberculosis.

Month of February, 1906. Total number of deaths 26, including enteric fever 1, and 2 from tuberculosis.

Month of March, 1906. Total number of deaths 47, including enteric fever 1, and 5 from tuberculosis.

Month of April, 1906. Total number of deaths 41, including diphtheria 1, and 4 from tuberculosis.

Month of May, 1906. Total number of deaths 41, including diphtheria 1, enteric fever 1, and 3 from tuberculosis.

Month of June, 1906. Total number of deaths 24, including 1 from tuberculosis.

WASHINGTON—*Tacoma*.—Month of July, 1906. Estimated population, 85,000. Total number of deaths 52, including diphtheria 1, enteric fever 1, and 6 from phthisis pulmonalis.